

## Grolux T8/Minilynx

F30W/T8/GRO

0000150



### Range features

- High level of blue and red radiation helps promote healthy plant growth
- Strengthens the natural colours of aquatic plants and fish in aquariums
- Promotes the process of photo-synthesis in plants
- Oldest, but most optimal light colour for plants and aquaria
- Applications
- For lighting of fresh water aquariums
- Complete or additional artificial lighting of plants
- Recommended for use in greenhouses, indoor gardens, flower shows and conservatories



### PRODUCT OVERVIEW

Ordering number	0000150
Lamp shape	25000
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	T8-Petcare
EAN code	5410288001500
Watt (Nominal) (W)	5

## Grolux T8/Minilyn

F30W/T8/GRO

0000150

### DATA TABLE

#### General data

<b>Ordering number</b>	0000150
<b>Average life (Nominal) (h)</b>	10000
<b>Lamp shape</b>	25000
<b>Lamp finish</b>	Coated
<b>Dimmable</b>	Yes
<b>Cap/Base</b>	G13
<b>Type</b>	T8-Petcare
<b>EAN code</b>	5410288001500
<b>E-number FI</b>	4943112
<b>E-number SE</b>	8356672
<b>Long description</b>	High level of blue and red radiation helps promote healthy plant growth. Strengthens the natural colours of aquatic plants and fish in aquariums. Promotes the process of photo-synthesis in plants. Oldest, but most optimal light colour for plants and aquaria. Applications. For lighting of fresh water aquariums. Complete or additional artificial lighting of plants. Recommended for use in greenhouses, indoor gardens, flower shows and conservatories
<b>Product name</b>	F30W/T8/GRO
<b>Lamp mercury content (mg)</b>	10
<b>Control gear required</b>	Yes
<b>Fixture rating</b>	Open
<b>IEC Reference</b>	IEC 60081
<b>IEC Reference 2</b>	IEC 61195
<b>Special purpose lamp</b>	Yes
<b>Transformer required</b>	No
<b>Sales pack quantity</b>	25

#### Electrical data

<b>Watt (Rated) (W)</b>	5
<b>Watt (Nominal) (W)</b>	5
<b>Current (A)</b>	0.37

# Grolux T8/Minilyn

*F30W/T8/GRO*

**0000150**

## Physical data


<b>Weight (kg)</b>	0.12
<b>Length base to base (mm) - A</b>	894.4
<b>Length base to pin Min-Max - B</b>	899.3-901.7
<b>Lamp Length (mm) - C/L</b>	908.8
<b>Lamp Diameter (mm) - D</b>	26
<b>Packaging outer length (cm)</b>	93.50
<b>Packaging outer height (cm)</b>	15.00
<b>Packaging outer width (cm)</b>	15.50
<b>Packaging single width (cm)</b>	2.90
<b>Packaging single length (cm)</b>	90.90
<b>Packaging single height (cm)</b>	2.80

## Grolux T8/Minilyn

F30W/T8/GRO

0000150

### PHOTOMETRY



### TECHNICAL DRAWINGS

